

TALAMEX

HIGHLINE



Quality is leading



Talamex Highline

Quality is leading

Enjoying luxury and comfort in a premium boat. That's the Highline.

The Talamex Highline is manufactured of 0,9mm German Valmex® Mehler PVC fabric, the best quality available. Also, the PVC is thermal welded which fuses the PVC together and extends the boat's lifetime significantly. The boats are equipped with many unique features and the best European accessories. The Highline comes with a Bravo

overpressure relief valve, anti sprayflaps*, adjustable aluminium seatbench**, SS lifting and towing eyes, Bravo hard handles*, anti skid pads on the air floor and telescopic aluminium oars***. Additionally, the transom is virtually maintenance free as it is vinyl laminated. Moreover, the Highline is perfect for the davits as it has two SS lifting eyes in the transom and lifting D-rings on the inside of the boat. In the standard package of the boats is among other: a boatcover, repair kit, double-

action handpump, fuel tank strap, mooring line and a packing bag. The boats have 3 year warranty and all Talamex boats are CE certified by the Dutch Marine Inspection, making them meet all European requirements!

* except HXL series

** HLX400 standard comes with 2 aluminium seatbenches

*** HLX400 has paddles

A varied selection


There are 3 different models available. All of high quality, but distinctive in the floor of the boat.

HXL X-Light: with air floor and clearly the lightest in the Highline range, a number of features have been skipped to ease the user friendliness and safe weight

HLA air floor: the inflatable floor and keel create a V-shaped floor which give the boat excellent sailing and rowing qualities. Lightweight, small packed and quick to set-up

HLX aluminium floor: with inflatable keel and aluminium floor which provides great strength, stability and robustness. Perfect for planing. The HLX comes standard with a packing bag for the floor panels

Fully equipped




- ① Luxurious rubbing strake
- ② Soft stitched handles for comfortable grip
- ③ SS bow handle and towing D-rings on the bow
- ④ SS lifting D-ring
- ⑤ Bravo hard handles
- ⑥ Bravo overpressure relief valve
- ⑦ Adjustable aluminium seatbench
- ⑧ High shear
- ⑨ Anti skid pads on the air floor
- ⑩ 0,9mm German Valmex® Mehler PVC fabric
- ⑪ Bravo one-touch airvalves with inflation sequence markers
- ⑫ Bravo telescopic oars
- ⑬ Luxurious sliding drainvalve
- ⑭ Soft handles inside tube for extra hold at motorized sailing
- ⑮ Maintenance free vinyl laminated transom
- ⑯ SS lifting eyes in the transom
- ⑰ Anti sprayflaps
- ⑱ Soft stitched handles on the end cones
- ⑲ Thermally welded seams
- ⑳ Solid end cones for better protection



Bravo one-touch airvalves with inflation sequence markers

3 air chambers with rings around the Bravo airvalves marking the inflation sequence.



SS lifting eyes with a vinyl laminated transom

Vinyl laminated maintenance free transom with SS lifting eyes.



Thermally welded Valmex® Mehler PVC

0,9mm Valmex® Mehler PVC, the best quality available with thermally welded seams for an extended lifetime.



Bravo hard handle

High quality double functional Bravo handles thanks to the built in cleats.



Anti sprayflaps

Thanks to the cleverly placed flaps on the transom, waterspraying is reduced to a minimum.



Bravo overpressure relief valve

Your boat is protected against damage from excess pressure thanks to the smart Bravo pressure relief valve.



Telescopic oars

High quality Bravo telescopic oars.



Aluminium seatbench

The aluminium seatbench is adjustable, lightweight and maintenance free.

HXL X-Light

HXL 195 230 250 275

The ideal tenderboat

The Talamex Highline HXL X-Light is extra light due to its thinner rubbing strake and skipped handles and anti sprayflaps. The boat has an air floor with an inflatable keel. This creates a V-shaped floor that benefits the sailing and rowing qualities. Thanks to the V-bottom it is possible to plane the boat. The boat is designed for easy transport and compact storage. Despite the low weight, the boats are - thanks to the large diameter tube of 42cm - very stable. The inflatable bottom increases the sitting comfort and is finished with anti-skid patches.



Boat type	Length x Width (cm)	Floor	Max. load capacity (kg)	Max. engine in kW/HP	Max. engine weight (kg)	Package size boat (cm)	Max. passengers	Number of air chambers	Diameter tubes (cm)	Weight incl. oars (kg)	Transom height
85.913.195 HXL195	195 x 143	Air	360	3,5/20	20	90 x 43 x 20	2	3+1+1	42	21	Short
85.913.230 HXL230	230 x 145	Air	380	3,5/20	20	90 x 46 x 21	3	3+1+1	42	24	Short
85.913.250 HXL250	250 x 145	Air	400	4,0/25	25	98 x 57 x 22	3	3+1+1	42	26	Short
85.913.275 HXL275	275 x 145	Air	600	6,0/40	40	98 x 65 x 28	4	3+1+1	42	28	Short

HLA-Air floor

Comfortable and convenient

The Talamex Highline HLA with air floor is a boat with an inflatable keel. This creates a V-shaped floor that benefits the sailing and rowing qualities. Thanks to the V-bottom it is possible to plane the boat. The boat is lightweight, quick to set-up and small packed. The inflatable bottom increases the sitting comfort and is finished with anti-skid patches. The ideal tender boat with excellent sailing characteristics.

HLA 230 250 300 350



Boat type	Length x Width (cm)	Floor	Max. load capacity (kg)	Max. engine in kW/HP	Max. engine weight (kg)	Package size boat (cm)	Max. passengers (+ 1=child)	Number of air chambers	Diameter tubes (cm)	Weight incl. oars (kg)	Transom height
85.914.230 HLA230	230 x 145	Air	460	3,7/5,0	35	90 x 46 x 21	3	3+1+1	42	29	Short
85.914.250 HLA250	250 x 145	Air	480	4,4/6,0	40	98 x 57 x 22	3 + 1	3+1+1	42	32	Short
85.914.300 HLA300	300 x 170	Air	700	11,0/15,0	50	115 x 57 x 22	5	3+1+1	45	40	Short
85.914.350 HLA350	350 x 170	Air	750	14,7/20,0	60	113 x 60 x 25	6	3+1+1	45	46	Short

HLA-Air floor - Limited Edition

HLA-LE 230 250 300 350

Our well known Highline air floor boat in a robust storm-grey color.

The Talamex Highline HLA with air floor is a boat with an inflatable keel. This creates a V-shaped floor that benefits the sailing and rowing qualities. Thanks to the V-bottom it is possible to plane the boat. The boat is lightweight, quick to set-up and small packed. The inflatable bottom increases the sitting comfort and is finished with anti-skid patches. The ideal tender boat with excellent sailing characteristics.



Boat type	Length x Width (cm)	Floor	Max. load capacity (kg)	Max. engine in kW/HP	Max. engine weight (kg)	Package size boat (cm)	Max. passengers (+ 1=child)	Number of air chambers	Diameter tubes (cm)	Weight incl. oars (kg)	Transom height
85.914.530 HLA230 - LE	230 x 145	Air	460	3,7/5,0	35	90 x 46 x 21	3	3+1+1	42	29	Short
85.914.550 HLA250 - LE	250 x 145	Air	480	4,4/6,0	40	98 x 57 x 22	3 + 1	3+1+1	42	32	Short
85.914.600 HLA300 - LE	300 x 170	Air	700	11,0/15,0	50	115 x 57 x 22	5	3+1+1	45	40	Short
85.914.650 HLA350 - LE	350 x 170	Air	750	14,7/20,0	60	113 x 60 x 25	6	3+1+1	45	46	Short

HLX-Aluminium floor

Robust and comfort

The Talamex Highline HLX with aluminium floor is a boat with an inflatable keel. This creates a V-shaped floor that benefits the sailing and rowing qualities. Thanks to the V-bottom it is possible to plane the boat. The aluminium floor ensures great firmness and stability and is almost maintenance-free. This boat is well suited to hang in the davits and as holiday boat. The aluminium floor requires more time to install than an air floor boat.

HLX 250 300 350 400



Boat type	Length x Width (cm)	Floor	Max. load capacity (kg)	Max. engine in kW/HP	Max. engine weight (kg)	Package size boat (cm)	Max. passengers (+ 1=child)	Number of air chambers	Diameter tubes (cm)	Weight incl. oars (kg)	Transom height
85.915.250 HLX250	230 x 145	Aluminium	480	4,4/6,0	40	98 x 57 x 22	3 + 1	3+1	42	42	Short
85.915.300 HLX300	300 x 170	Aluminium	700	11,0/15,0	50	115 x 57 x 22	5	3+1	45	53	Short
85.915.350 HLX350	350 x 170	Aluminium	750	14,7/20,0	60	113 x 60 x 25	6	3+1	45	62	Short
85.915.400 HLX400	400 x 200	Aluminium	1.100	22,1/30,0	90	135 x 77 x 36	8 + 1	3+1	50	72	Short

HLX-Aluminium floor - Limited Edition

HLX-LE 300 350

Our well known Highline aluminium floor boat in a robust storm-grey color.

The Talamex Highline HLX with aluminium floor is a boat with an inflatable keel. This creates a V-shaped floor that benefits the sailing and rowing qualities. Thanks to the V-bottom it is possible to plane the boat. The aluminium floor ensures great firmness and stability and is almost maintenance-free. This boat is well suited to hang in the davits and as holiday boat. The aluminium floor requires more time to install than an air-floor boat.



Boat type	Length x Width (cm)	Floor	Max. load capacity (kg)	Max. engine in kW/HP	Max. engine weight (kg)	Package size boat (cm)	Max. passengers	Number of air chambers	Diameter tubes (cm)	Weight incl. oars (kg)	Transom height
8.5915.600 HLX300 - LE	300 x 170	Aluminium	700	11,0/15,0	50	115 x 57 x 22	5	3+1	45	53	Short
85.915.650 HLX350 - LE	350 x 170	Aluminium	750	14,7/20,0	60	113 x 60 x 25	6	3+1	45	62	Short

Talamex electric outboard engines

TM 30 40 48 58 66 86

Combine your Talamex boat with a Talamex electric outboard engine!

- Telescopic tiller with 5 forward and 3 reverse gears
- Suitable for fresh, brackish and salt water
- Immersion depth and infinitely adjustable steering pressure
- Battery charging control display
- Battery clamps



Article number	Description	Max boat-weight (kg)	Shaft length (mm)	Tiller	Weight (kg)
85.804.030	Talamex electric outboard engine TM30 12V	850	760	Telescopic	7,2
85.804.031	Talamex electric outboard engine TM40 12V	1.200	910	Telescopic	8,8
85.804.032	Talamex electric outboard engine TM48 12V	1.450	910	Telescopic	8,8
85.804.033	Talamex electric outboard engine TM58 12V	1.850	910	Telescopic	10
85.804.034	Talamex electric outboard engine TM66 12V	2.200	910	Telescopic	11,5
85.804.035	Talamex electric outboard engine TM86 24V	2.500	910	Telescopic	12,5
85.804.026	Eyeterminal wire kit (optional)	-	-	-	-
85.922.215	Bracket for trollingmotor bow mounting grey	-	-	-	-
85.922.240	Bracket for trollingmotor bow mounting black	-	-	-	-
14.641.105	Talamex Battery Box with Quickfit connection 2x12V and battery tester, 30A	-	-	-	-
14.641.106	Talamex Battery Box with Quickfit connection 2x12V and battery tester, 50A	-	-	-	-
14.661.100	Talamex automatic battery charger 10A, 12/24V	-	-	-	-
14.649.905	Battery Nautic 12V 105A	-	-	-	-



Mariner outboard engines

F2.5M F3.5M F4M F5M F6M F8M F9.9M

Mariner has a great reputation with its outboard engines. As reliable as the engines of Mariner there are few other brands. Just carefree years sailing pleasure. The Mariner range at LankhorstTaselaar starts at the light 2,5HP engines for smaller boats to the heavier four stroke engines for larger boats! So there is always a model that fits your use and type of boat.



Article number	Description	Engine power in kW	Engine power in HP
98.000.120	Mariner F 2.5 M	1,9	2,5
98.000.121	Mariner F 3.5 M	2,6	3,5
98.000.123	Mariner F 4 M	2,9	4
98.000.126	Mariner F 5 M	3,7	5
98.000.128	Mariner F 6 M	4,4	6
98.000.130	Mariner F 8 M	5,9	8
98.000.131	Mariner F 9.9 M	7,3	9,9

Accessories

Mariner outboard engines




Article number	Description
81.211.105	Jerrycan fuel black 5l (264 x 140 x 246mm)
81.211.110	Jerrycan fuel black 10l (325 x 165 x 318mm)
81.211.120	Jerrycan fuel black 20l (389 x 213 x 388mm)
18.702.012	Carry can fuel 12l (260 x 460 x 220mm)
18.702.000	Carry can fuel 22l (320 x 540 x 235mm) with indicator
18.702.023	Carry can fuel 22l (320 x 540 x 235mm)
18.702.030	Carry can fuel 30l (360 x 500 x 230)
91.101.810	Outboard Cover XXS for 2,5-5HP (LxWxH: 40 x 25 x 30cm)
91.101.811	Outboard Cover XS for 2,5-15HP (LxWxH: 48 x 27 x 33cm)
18.701.001	Fuel hose with pump ball - 2m, Ø 9,5mm (3/8")
75.460.100	Tiller extension for outboards 60-120cm, Ø 25-30mm
42.130.100	Outboard motor lock with stainless steel AISI 316 cylinder lock. Dim.: 300 x 40 x 35mm
42.117.002	Outboard lock SS with hardened roller. Dim: 300 x 40 x 40mm




Accessories

Article number	Description
85.922.108	Seatbag with cushion grey - 120x20cm
85.922.109	Seatbag with cushion grey - 105x20cm
85.922.110	Seatbag with cushion grey - 100x20cm
85.922.111	Seatbag with cushion grey - 90x20cm
85.922.112	Seatbag with cushion grey - 85x20cm
85.922.113	Seatbag with cushion grey - 80x20cm
94.100.020	Drybag 5L
94.100.021	Drybag 10L
94.100.022	Drybag 15L
85.922.123	Pressure gauge for handpump
85.922.040	Handpump standard valve Talamex
85.922.214	Anchor line holder for inflatable boat
20.300.165	Bravo BST 800 electric airpump
20.300.176	Bravo BST 800 Battery electric airpump
20.300.160	Bravo GE 230/1000 electric airpump
95.900.337	Oarlock replacement kit for bimini Aqualine, Greenline, Superlight
95.900.338	Oarlock replacement kit for bimini Comfortline, Highline, Silverline
95.900.339	Stainless steel bimini holder for oarlocker
85.922.236	Glue-on accessory base/mount (pair)
85.922.237	Adjustable plug-in holder for fishing rod
85.922.238	Adjustable plug-in platform for fishfinder/chartplotter



Accessories



Article number	Description
77.203.001	Folding anchor 1,5kg
77.203.002	Folding anchor 2,5kg
77.203.003	Folding anchor 3,2kg
77.203.004	Folding anchor 4kg
77.203.006	Folding anchor 6kg
79.625.102	Boarding ladder for inflatables aluminium 2 steps
79.625.103	Boarding ladder for inflatables aluminium 3 steps
85.540.174	Transporträder Spiegelmontage
81.101.829	Boatcover Maxi Tender (300-360cm)
81.101.830	Boatcover Tender (240-300cm)
81.101.831	Boatcover XXS (420-480cm). (Boatwidth max. 180cm)
81.101.832	Boatcover XS (420-480cm). (Boatwidth max 229cm)
85.930.200	Aluminium pole for boat covers 60-100cm
85.000.424	Valet kit
85.000.430	Insta-Lock lock and lift system



Talamex lifejackets

Specially selected for you

Talamex Inflatable lifejacket 150N:

- Automatically & Manual
- For persons of 40 kg and more
- According ISO 12402-3

Talamex 100N Kids lifejackets:

- Fabric 100% polyester, High visible EN ISO 20471
- Foam from light PE
- Reflective panels
- Crotchstrap for extra safety
- Adjustable waistbelt with strong nexus buckle
- Zipper closing
- According ISO 12402-4



Article number	Modell	Size	Weight
20.427.505	Talamex Inflatable lifejacket150N	Adult	40+ kg
20.427.020	Recharge set UML MK5 33g All Weather Automatic	Adult	40+ kg
20.400.001	Talamex 100N	Baby	0-15kg
20.400.015	Talamex 100N	Toddler	15-20kg
20.400.020	Talamex 100N	Child	20-30kg

Specifications

Boat type	Length x Width (cm)	Floor	Max. load capacity (kg)	Max. engine in kW/HP	Max. engine weight (kg)	Package size boat (cm)	Package size floor (cm)	Max. passengers (+ 1=child)	Number of air chambers	Diameter tubes (cm)	Weight incl. oars (kg)	Transom height
85.913.195 HXL195	195 x 143	Air	360	3,5/20	20	90 x 43 x 20	-	2	3+1+1	42	21	Short
85.913.230 HXL230	230 x 145	Air	380	3,5/20	20	90 x 46 x 21	-	3	3+1+1	42	24	Short
85.913.250 HXL250	250 x 145	Air	400	4,0/25	25	98 x 57 x 22	-	3	3+1+1	42	26	Short
85.913.275 HXL275	275 x 145	Air	600	6,0/40	40	98 x 65 x 28	-	4	3+1+1	42	28	Short
85.914.230 HLA230	230 x 145	Air	460	3,7/5,0	35	90 x 46 x 21	-	3	3+1+1	42	29	Short
85.914.250 HLA250	250 x 145	Air	480	4,4/6,0	40	98 x 57 x 22	-	3 + 1	3+1+1	42	32	Short
85.914.300 HLA300	300 x 170	Air	700	11,0/15,0	50	115 x 57 x 22	-	5	3+1+1	45	40	Short
85.914.350 HLA350	350 x 170	Air	750	14,7/20,0	60	113 x 60 x 25	-	6	3+1+1	45	46	Short
85.914.530 HLA230 - LE	230 x 145	Air	460	3,7/5,0	35	90 x 46 x 21	-	3	3+1+1	42	29	Short
85.914.550 HLA250 - LE	250 x 145	Air	480	4,4/6,0	40	98 x 57 x 22	-	3 + 1	3+1+1	42	32	Short
85.914.600 HLA300 - LE	300 x 170	Air	700	11,0/15,0	50	115 x 57 x 22	-	5	3+1+1	45	40	Short
85.914.650 HLA350 - LE	350 x 170	Air	750	14,7/20,0	60	113 x 60 x 25	-	6	3+1+1	45	46	Short
85.915.250 HLX250	230 x 145	Aluminium	480	4,4/6,0	40	98 x 57 x 22	76 x 52 x 14	3 + 1	3+1	42	42	Short
85.915.300 HLX300	300 x 170	Aluminium	700	11,0/15,0	50	115 x 57 x 22	85 x 60 x 14	5	3+1	45	53	Short
85.915.350 HLX350	350 x 170	Aluminium	750	14,7/20,0	60	113 x 60 x 25	100 x 82 x 15	6	3+1	45	62	Short
85.915.400 HLX400	400 x 200	Aluminium	1.100	22,1/30,0	90	135 x 77 x 36	120 x 90 x 15	8 + 1	3+1	50	72	Short
8.5915.600 HLX300 - LE	300 x 170	Aluminium	700	11,0/15,0	50	115 x 57 x 22	85 x 60 x 14	5	3+1	45	53	Short
85.915.650 HLX350 - LE	350 x 170	Aluminium	750	14,7/20,0	60	113 x 60 x 25	100 x 82 x 15	6	3+1	45	62	Short

The complete range of Talamex inflatable boats consists of the following models.
Ask your dealer for more information or visit www.talamexinflatables.com



© 2021-01 Lankhorst Taselaar. All rights reserved. Lankhorst Taselaar continuously explores means the products it designs, manufactures and distributes to improve. We strive to the utmost to produce up-to-date sales and service documentation. The technical specifications of engines, boats and accessories are ongoing subject to change. This brochure should not be regarded as a precise guide to find the latest technical information. Also, this brochure is not intended as a sales brochure for particular engine, boat or accessories. Distributors and dealers are no agents of Lankhorst Taselaar and has no authority to give explicit commitments on behalf of Lankhorst Taselaar, including but not limited to, statements with respect to a product, sales, applications or service. Not all products are available in all countries. Some products shown in this catalog are equipped with optional accessories. Please consult your dealer. Model, color, image, specifications changes reserved.



Talamex Marine Products distributed by Lankhorst Taselaar
Komeet 13 | 8448 CG Heerenveen | The Netherlands
T +31 (0)320 27 46 11 | E sales@lankhorst-taselaar.nl
I www.talamexinflatables.com

